

**Popes Hill LRD, Popes Road
Blackpool, Cork**

Scheme Sustainability Statement

244132-PUNCH-XX-XX-RP-C-010

Document Control

Document Number: 244132-PUNCH-XX-XX-RP-C-010

Status	Rev	Description	Date	Prepared	Checked	Approved
S3	P01	Draft Issue	24/07/2025	E. Bates	G. Souza	T. Horan
S3	P02	Issued for S 32B	27/08/2025	E. Bates	G. Souza	T. Horan
A0	C01	Planning Issue	12/03/2025	A Ní Shúilleabháin	G. Souza	T. Horan
A0	C02	Planning Issue	24/03/2026	A Ní Shúilleabháin	G. Souza	T. Horan
A0	C03	Planning RFI	06/08/2026	A Ní Shúilleabháin	G. Souza	T. Horan

Table of Contents

Document Control.....	i
Table of Contents	ii
1 Introduction.....	1
1.1 Purpose of the Statement.....	1
1.2 Project Overview	1
2 Climate Adaptation Opportunities.....	2
2.1 Location and Siting.....	2
2.2 Layout and Design.....	2
2.3 Drainage Proposals	2
3 Sustainable Urban Drainage Systems (SUDs) Strategy	3
3.1 Water Quantity Management	3
3.2 Water Quality Protection	3
3.3 Amenity Enhancement.....	3
3.4 Biodiversity Support	3
4 Infiltration Systems and Green Infrastructure	4
4.1 Infiltration Systems	4
4.2 Green Infrastructure.....	5
5 Energy Efficiency Measures.....	7
5.1 Thermal Insulation	7
5.2 Passive Ventilation and Cooling	7
5.3 Passive Solar Design.....	7
6 Circular Economy and Waste Management	8
7 Noise and Air Pollution Management.....	8
7.1 Construction Stage Management.....	8
7.2 Operational Stage Management	8
8 Conclusion	9

1 Introduction

1.1 Purpose of the Statement

This Scheme Sustainability Statement outlines the sustainability initiatives and strategies implemented in the proposed Large-scale Residential Development (LRD). The report addresses key aspects such as climate adaptation, sustainable drainage, energy efficiency, and environmental management, in line with national and local policies. The project is aligned with Cork City Council's commitment to sustainable development as detailed in the Cork City Development Plan 2022-2028, the National Planning Framework (NPF) 2040, and other relevant local and national policies.

1.2 Project Overview

This Sustainability Statement outlines the environmental, social, and economic sustainability measures integrated into the proposed residential development located along Popes Road, Blackpool, Cork City. This statement will demonstrate how the project adheres to sustainable development principles through various design and operational strategies.




Figure 1-1: Site Location of the Proposed Development

2 Climate Adaptation Opportunities

2.1 Location and Siting

The project's location was strategically chosen to minimise flood risk and take advantage of natural landscape features that promote climate resilience. The siting considers prevailing wind patterns, solar exposure, and topography to enhance natural ventilation and lighting, in accordance with the Compact Settlement Guidelines 2024, the proposed development is located in a Central and/or Accessible Urban Location. This is noted as the proposed development is within walking distance of the city centre and to/from high frequency (i.e. min 10-minute peak hour frequency) urban bus services.

2.2 Layout and Design

The layout is designed with climate adaptation in mind, orienting buildings to maximize natural light and passive heating while minimizing heat loss. The design adheres to Building Regulations Part L, using the values in the table below as the basis for design assessment, though these will be subject to the architect's construction details and sustainability targets. The U-values being considered will comply with the current regulatory requirements outlined in the Technical Guidance Documents Part L, "Conservation of Fuel & Energy other than Dwellings."

Table 2-1: Design U-Value

Building Fabric Element	Design U-Value Part L (2022)
Floor	0.18 W/m ² K
Roof (Flat)	0.20 W/m ² K
Roof (Pitched)	0.16 W/m ² K
External Walls	0.18 W/m ² K
Windows/Doors	1.40 W/m ² K

2.3 Drainage Proposals

The drainage proposals are designed to manage the increased rainfall and extreme weather events associated with climate change. Permeable paving and attenuation basins are incorporated to control surface water runoff, in accordance with the Cork City Development Plan 2022-2028. All new developments, including modifications or extensions to existing ones, must typically incorporate Sustainable Urban Drainage Systems (SUDS). Section 3 of this report will provide the SUDs strategy proposed for the proposed residential and retail development. It should be noted that the SUDs assessment aims to address runoff quantity, quality, and its impact on the existing habitat and water quality.

3 Sustainable Urban Drainage Systems (SUDs) Strategy

3.1 Water Quantity Management

The SUDS strategy ensures that surface water runoff is controlled to prevent flooding. This is achieved through above ground detention basins, soakaways systems, bioretention areas, tree pits, filter drains and permeable surfaces, which are designed to manage runoff volumes and rates according to The SuDS Manual - CIRIA C753 and Greater Dublin Strategic Drainage Study Regional Drainage Policies - Volume 2 and Cork City Council Drainage Guidance. Refer to Figure 4-1 to Figure 4-4 for examples of SUDS strategy measures proposed as part of the water quantity management measures. Refer to the Engineering Planning Report for further details.

3.2 Water Quality Protection

To improve water quality, the SUDS system proposed for this site incorporates features such as detention basins, soakaways systems, bioretention areas, tree pits, filter drains and permeable surfaces, remove pollutants from runoff before it enters the local watercourses. These measures meet the standards set by the Environmental Protection Agency (EPA) and The SuDS Manual - CIRIA C753.

3.3 Amenity Enhancement

The SUDS elements are integrated into the landscape design, providing aesthetic and recreational benefits. Features such as soakaways systems and bioretention areas enhance the site's visual appeal and offer educational opportunities about water management.

3.4 Biodiversity Support

In line with the National Biodiversity Action Plan, the SUDS strategy supports local biodiversity by creating habitats within the drainage features. Native planting within soakaways systems, and bioretention areas attracts wildlife and promotes ecological diversity.

4 Infiltration Systems and Green Infrastructure

4.1 Infiltration Systems

Infiltration systems contribute reducing runoff rates and volumes while supporting baseflow and groundwater recharge processes. The rate at which water can be infiltrated depends on the infiltration capacity (permeability) of the surrounding soils. The design follows guidelines set out in Infiltration systems Guidelines: CIRIA SuDS Manual 2015, chapter 13. Refer to Figure 4-1 for an illustration of components of soakaways system.




Figure 4-1: Indicative components of soakaways system

4.2 Green Infrastructure

Additional green infrastructure, including bioretention areas, tree pits, permeable paving and detention basins are integrated into the site to enhance drainage, improving runoff reduction. These features contribute to the overall sustainability of the development by reducing the need for artificial cooling and heating. The use of bioretention areas significantly influences the thermal performance of buildings. These features provide additional insulation, reducing heat loss in winter and heat gain in summer. Refer to Figure 4-2 and Figure 4-4 for an illustration of the components of a bioretention system and section through a permeable pavement system.




Figure 4-2: Components of a bioretention system




Figure 4-3: Components of a Tree Pit System




Figure 4-4: Section through a typical permeable pavement system



Figure 4-5: Detention Basin Example (ref. SUDS Manual)

5 Energy Efficiency Measures

5.1 Thermal Insulation

High-performance thermal insulation is used throughout the development to minimize energy consumption for heating and cooling. In accordance with Building Regulations Part L, all domestic water pipework to be insulated with Class 'O' foil back insulation and clearly labelled.

5.2 Passive Ventilation and Cooling

The ventilation for the residential units shall be provided by the EAHP and be classed as mechanically ventilated. The central extract shall operate on the principle of mechanical extract ventilation (MEV). MEV will be commissioned with two dedicated extract flow rates for the unit, one for background ventilation and one for boost ventilation. The background ventilation rate will be maintained 24/7 in order to ventilate the unit and maintain the heat pump operation volume flow rate. The boost ventilation will be activated by a drop-in air or water temperature and raise the volume flow rate to a maximum pre-set value. All habitable rooms will be provided with passive air inlets providing fresh air to the respective spaces and to comply with the requirements of TGD Part F. The passive air inlets will feature washable filters, silencers, volume control and wind pressure protection.

5.3 Passive Solar Design

In accordance with Solar Design Guidelines for Ireland, the buildings are oriented and designed to maximize solar gain during the winter and minimize overheating during the summer. This includes the use of large south-facing windows, shading devices, and light-coloured materials to reflect heat.

6 Circular Economy and Waste Management

An Outline Operational Waste Management Plan will be submitted as part of this planning application. It is noted that this plan will provide a comprehensive description of how this development should provide a circular economy and waste management that should reflect the waste management hierarchy, with waste prevention and minimisation being the first priority succeeded by reuse and recycling.

During construction of the proposed development, there are numerous opportunities for the beneficial reuse and recycling of materials. The subsequent use of recycled materials in the proposed development also reduces the quantities of waste which ultimately needs to be consigned to landfill sites.

7 Noise and Air Pollution Management

7.1 Construction Stage Management

In line with the Environmental Noise Regulations 2018, noise and air pollution during construction will be managed using measures such as low-noise machinery, dust suppression systems, and restricted working hours. While there is no official Irish guidance on maximum permissible noise levels during construction, local authorities typically regulate construction activities by setting limits on working hours and, at their discretion, imposing noise limits.

In the absence of specific noise guidelines, appropriate noise criteria for a development of this scale will be established in consultation with Cork City Council (CCC). These criteria will define the maximum permissible noise levels at nearby properties during construction, as well as any restrictions on working hours. Most construction activity is expected to take place during normal working hours.

A Noise and Vibration Impact Assessment report will be prepared prior to construction stage for details on the construction phase impact as well as mitigating measures.

7.2 Operational Stage Management

To manage noise and air pollution during the operation of the building, the design includes soundproofing measures, high-efficiency HVAC systems, and air quality monitoring.

The ventilation for the residential units shall be provided by the Exhaust Air Heat Pump (EAHP) and be classed as mechanically ventilated. The central extract shall operate on the principle of mechanical extract ventilation (MEV). MEV will be commissioned with two dedicated extract flow rates for the unit, one for background ventilation and one for boost ventilation.

The background ventilation rate will be maintained 24/7 in order to ventilate the unit and maintain the heat pump operation volume flow rate. The boost ventilation will be activated by a drop-in air or water temperature and raise the volume flow rate to a maximum pre-set value. All habitable rooms will be provided with passive air inlets providing fresh air to the respective spaces and to comply with the requirements of Technical Guidance Document (TGD) Part F. the passive air inlets will feature washable filters, silencers, volume control and wind pressure protection.

8 Conclusion

This report has demonstrated how the proposed Large-scale Residential Development (LRD) located at Popes Road, Blackpool in Cork City integrates sustainability principles across its design, construction, and operational stages. The strategies outlined ensure that the development not only meets but exceeds the requirements set out by relevant sustainability standards and regulations, contributing to a resilient and environmentally responsible built environment.